ELSEVIER

Fluid Phase Equilibria 130 (1997) 299–300

FLUID PHASE EQUILIBRIA

Contents of Volume 130 (1997)

Vol. 130, Nos. 1–2

Equilibrium properties: Theoretical papers

Stability theory for polydisperse fluid mixtures
Y. Hu (Shanghai, People's Republic of China) and J.M. Prausnitz (Berkeley, CA, USA) 1–18

On the long-range corrections to computer simulation results for the Lennard-Jones vapor–liquid interface
M. Guo (Ottawa, Ont., Canada), D.-Y. Peng (Saskatoon, Sask., Canada) and B.C.-Y. Lu (Ottawa, Ont., Canada) 19–30

Vapor–liquid equilibria for alcohol/hydrocarbon systems using the CPA Equation of State
I.V. Yakoumis, G.M. Kontogeorgis, E.C. Voutsas and D.P. Tassios (Athens, Greece) 31–47

Density improvement of the SRK equation of state
W.-R. Ji (Hangzhou, People's Republic of China) and D.A. Lempe (Halle, Germany) 49–63

Parametrization of the radial distribution function of a Yukawa fluid
D. Henderson, L. Mier y Terán (Mexico City, D.F., Mexico) and L. Blum (Rio Piedras, Puerto Rico) 65–72

Carbon dioxide–water phase equilibria results from the Wong–Sandler combining rules
G.-S. Shyu, N.S.M. Hanif, K.R. Hall and P.T. Eubank (College Station, TX, USA) 73–85

On the suitability of the virial equation for modeling the solubility of solids in supercritical fluids
A.H. Harvey (Boulder, CO, USA) 87–100

Calculating binary and ternary multiphase equilibria: extensions of the integral area method
D. Hodges, D.W. Pritchard, M.M. Anwar and P. Gregory (Middlesbrough, UK) 101–116

Representation of activity coefficients of fundamental biochemicals in water by the UNIFAC model
H. Kuramochi, H. Noritomi, D. Hoshino and K. Nagahama (Tokyo, Japan) 117–132

Molecular theory of phase equilibria in model and real associated mixtures. III. Binary solutions of inert gases and *n*-alkanes in ammonia and methanol
I. Nezbeda, J. Kolafa (Prague, Czech Republic) and W.R. Smith (Guelph, Ont., Canada) 133–155

Gibbs Ensemble Monte Carlo simulation of binary vapor–liquid equilibria for CFC alternatives
G. Gao and W. Wang (Beijing, People's Republic of China) 157–166

The Area method for pure fluids and an analysis of the two-phase region
A.E. Elhassan, R.J.B. Craven and K.M. De Reuck (London, UK) 167–187

A simplified hard-sphere equation of state meeting the high and low density limits
M.K. Khoshkbarchi and J.H. Vera (Montreal, P.Q., Canada) 189–194

Equilibrium properties: Experimental papers

Excess Gibbs free energies at several temperatures and excess enthalpies and volumes at 298.15 K of butanenitrile with 2-methyl-1-propanol or 2-methyl-2-propanol
R. Garriga, F. Sánchez, P. Pérez and M. Gracia (Zaragoza, Spain) 195–205

The excess molar volumes of (hydrocarbon + branched chain ether) systems at 298.15 K and 308.15 K, and the application of PFP theory
U. Domańska (Warsaw, Poland) 207–222

The influence of temperature on the liquid–liquid–solid equilibrium of the ternary system water–potassium chloride–2-propanol
V. Gomis, F. Ruiz, N. Boluda and M.D. Saquete (Alicante, Spain) 223–229

Vapor–liquid equilibria for benzyl alcohol with carbon dioxide, ethane, or nitrogen at elevated pressures
J.-T. Chen and M.-J. Lee (Taiwan, People's Republic of China) 231–241

Effect of 1,2-propanediol on the vapor–liquid equilibria of the ethyl acetate + ethanol system at 101.3 kPa
C.-H. Tu, Y.-S. Wu and F.-C. Ou (Taichung, Taiwan) 243–252
Vapour–liquid equilibrium of the acetone–methanol system in the presence of KSCN and comparison with other salts
M.C. Iliuta, F.C. Thyrion (Louvain-la-Neuve, Belgium) and O.M. Landauer (Bucharest, Romania) 253–269
Vapour pressures and excess functions of *N,N,N′,N′*-tetramethylalkanediamine + cyclohexane. A group contribution study of the *N–N* proximity effect
A. Dahmani, A. Ait Kaci (Bab-Ezzouar, Algerie) and J. Jose (Villeurbanne, France) 271–279
Binodal curve of two liquid phases and solid–liquid equilibrium for water + fatty acid + ethanol systems and water + fatty acid + acetone systems
K. Maeda, S. Yamada and S. Hirota (Himeji, Japan) 281–294

Subject Index 295

Author Index 297

Contents of Volume 299–300